



# LETTER OF APPROVAL

for Colourants / Textile Auxiliaries

N° GOTS-GOTS\_AI-0029-22

Soil Association Certification declares that the Colourants and/or Textile Auxiliaries listed below have been evaluated and assessed for

## Fujifilm Speciality Ink Systems Ltd

Pysons Road  
Broadstairs  
Kent  
CT10 2LE  
UNITED KINGDOM

on basis of information requested and provided, according to the applicable criteria of the

## Global Organic Textile Standard (GOTS) - Version 6.0 -

Accordingly the listed Colourants and/or Textile Auxiliaries **are approved as inputs** for application in the processing of GOTS certified textile products

It is further confirmed that the formulator has been audited for product stewardship as well as environment, health & safety requirements of the Standard on 20 / June / 2022

This *Letter of Approval* is valid until: 31 / March / 2024  
[resp.] until a new GOTS version is implemented.

Soil Association Certification  
Bristol, UK  
09 December 2022



A handwritten signature in black ink, appearing to read 'S Smith'.

Stephen Smith, Senior Certification Manager

This letter of approval replaces any previous issue(s).

The issuing body can withdraw this *Letter of Approval* before it expires if the declared approval is no longer guaranteed.

The company for which the inputs have been assessed remains responsible for the correctness and completeness of the provided data as well as for the continued compliance with the applicable criteria of GOTS. Relevant information on any of the approved inputs, of which knowledge has been obtained after this approval letter has been issued, shall be forwarded to the issuing body without delay.

Accredited By:



This electronically issued document is the valid original version

**Table(s) Appendix listing the GOTS approved inputs**

**Colourants (Dyestuffs, Pigments and Inks)**

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
1	Azure ink TC218	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
2	Black ink AJ001	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
3	Black ink TC001	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper forAJ316 <0.1%
4	Black ink YC001	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
5	Brick red ink AJ152	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
6	Carmine ink TC153	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
7	Fuchsia ink TC154	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
8	Golden Yellow Ink TC046	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
9	High Density Clear YC441	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
10	Opaque white AJ025	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
11	Optic White Ink TC025	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
12	Orange ink TC103	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
13	Overprint Transparent Base YC433	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
14	Oxford Blue AJ219	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
15	Primrose ink TC057	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
16	Scarlet ink TC122	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
17	Sea Green ink TC316	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
18	Seritone Blue (Red Shade)/ Deep Blue ink YC206	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
19	Seritone Blue/ Mid Blue ink YC203	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
20	Seritone Blue/Azure AJ218	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
21	Seritone Green/ Deep Green Ink YC285	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
22	Seritone Green/Sea Green AJ316	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. "The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)  the copper content in weight percentage in case the copper content exceeds 0,1% in blue, green and turquoise dyestuffs (ref. to GOTS 2.4.6/2.4.7 with tolerated level of 5% for these shades)"
23	Seritone Magenta ink YC165	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
24	Seritone Magenta/ Fuchsia AJ154	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
25	Seritone Orange/ Light Red ink YC162	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
26	Seritone Orange/Orange ink AJ103	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
27	Seritone Red (Blue Shade)/ Deep Red ink YC124	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
28	Seritone Red (BS)/Carmine AJ153	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
29	Seritone Red (Yellow Shade)/ Deep Red ink YC134	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
30	Seritone Red (YS)/ Scarlet ink AJ122	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)





Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
31	Seritone Violet ink YC166	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
32	Seritone Violet/Violet ink AJ132	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
33	Seritone Yellow (Green Shade)/Light Chrome ink YC042	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
34	Seritone yellow (GS)/Primrose ink AJ057	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
35	Seritone Yellow (Red Shade)/Mid Chrome ink YC043	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
36	Seritone yellow (RS)/Golden yellow ink	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper forAJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
37	TK001 Black	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TK316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
38	TK021 White	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
39	TK046 Golden Yellow	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
40	TK057 Primrose	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
41	TK103 Orange	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
42	TK122 Scarlet	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
43	TK126 Magenta	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
44	TK132 Violet	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
45	TK152 Brick Red	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
46	TK153 Carmine	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
47	TK154 Fuschia	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
48	TK218 Azure	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
49	TK219 Oxford Blue	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
50	TK316 Sea Green	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. "The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)  the copper content in weight percentage in case the copper content exceeds 0,1% in blue, green and turquoise dyestuffs (ref. to GOTS 2.4.6/2.4.7 with tolerated level of 5% for these shades)"



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
51	TK343 Brown	Colour concentrate (pigment for printing)	19/August/2020	18/July/2018	AOX <1%. Copper content <0.1% in TC316. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
52	Trichromatic Black YC004	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
53	Trichromatic Cyan YC215	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)





Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
54	Trichromatic Magenta YC135	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
55	Trichromatic Yellow YC058	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
56	Ultra Blue ink YC210	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
57	Violet ink TC132	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
58	White ink AJ021	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
59	White ink TC021	Water based screen printing ink	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
60	White ink YC021	screen printing ink	19/August/2020	03/July/2019	AOX <1%

Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd



**Textile Auxiliaries**

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
61	Expanding Base YC417	screen printing expanding base	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
62	Extender Base AJ381	Water based screen printing ink	19/August/2020	14/May/2019	AOX <1%. Copper for AJ316 <0.1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
63	Extender Base TC381	Water based discharge screen printing extender base	19/August/2020	19/May/2018	AOX <1%. Copper content <0.1% in TC316
64	Extender Base YC381	screen printing ink	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)
65	Flash Cure White YC757	screen printing cure	19/August/2020	03/July/2019	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)



Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd

Serial Number	Trade Name of Input	Type / Utilisation	Date of Approval	Date of MSDS	Comments / Restrictions
66	Thinner YC591	screen printing thinner	19/August/2020	03/August/2018	AOX <1%. The permanent AOX in weight percentage in case the permanent AOX content exceeds 0,1% (ref. to GOTS 2.4.7 with tolerated level of 5% in yellow, green and violet pigments respective to GOTS 2.3.1 with tolerated level of 1% for any other input)

Total number of inputs (colourants / textiles auxiliaries) listed on this *Letter of Approval*: 66

Soil Association Certification  
Bristol, UK  
09 December 2022



Stephen Smith, Senior Certification Manager

Soil Association Certification,  
Spear House, 51 Victoria Street, Bristol, BS1 6AD, United Kingdom

Approval letter no. GOTS\_AI-0029-22  
for Fujifilm Speciality Ink Systems Ltd



**Sites Appendix**

Under the scope of this *Letter of Approval*, the following sites have been audited in line with requirements GOTS Version 6.0.

Serial Number	Name of Operation	Address of Operation
1	Fujifilm Speciality Ink Systems Ltd	Pysons Road, Broadstairs, Kent, CT10 2LE, UNITED KINGDOM

Soil Association Certification  
Bristol, UK



A handwritten signature in black ink, appearing to read "S.P. Smith".

Stephen Smith, Senior Certification Manager